

Factors Affecting Utilization Of Postnatal Care Service In

This is likewise one of the factors by obtaining the soft documents of this **factors affecting utilization of postnatal care service in** by online. You might not require more period to spend to go to the ebook foundation as without difficulty as search for them. In some cases, you likewise get not discover the statement factors affecting utilization of postnatal care service in that you are looking for. It will entirely squander the time.

However below, once you visit this web page, it will be so definitely easy to get as with ease as download guide factors affecting utilization of postnatal care service in

It will not say yes many times as we accustom before. You can pull off it though law something else at house and even in your workplace. therefore easy! So, are you question? Just exercise just what we manage to pay for below as capably as evaluation **factors affecting utilization of postnatal care service in** what you gone to read!

Project Gutenberg: More than 57,000 free ebooks you can read on your Kindle, Nook, e-reader app, or computer. ManyBooks: Download more than 33,000 ebooks for every e-reader or reading app out there.

Factors Affecting Utilization Of Postnatal

found to be associated with the utilization of postnatal care services were age, marital status and the number of children. Knowledge on postnatal care influenced utilization of postnatal care positively. Some of the key findings of the study were that most women lacked

Factors affecting utilization of postnatal care services ...

Its was found that most women lacked awareness about the services given in postnatal clinic and long waiting time and cultural beliefs were among factors that affected utilization of postnatal care. From the study the utilization of the postnatal services at the hospital in 14.2% which is quite low considering the need for postnatal services.

FACTORS AFFECTING UTILIZATION OF POSTNATAL CARE SERVICES ...

Postnatal care services utilization was 73.7% and 61.4% in the urban and rural settlements respectively. Multivariate analysis identified antenatal attendance, large baby, poorest wealth quintile, transportation problems to the health facilities, and maternal age as predictors of postnatal care services utilization in the urban settings.

Factors Affecting the Utilization of Postnatal Care ...

Conclusion: proportion of postnatal care service was very small. Educational status, women's autonomy, number of pregnancy, place of delivery and knowledge of postpartum obstetric danger sign were...

(PDF) Factors Affecting Utilization of Postnatal Care ...

Educational status, women's autonomy, number of pregnancy, place of delivery and knowledge of postpartum obstetric danger sign were the factors making a difference in utilizing post natal care service. Thus, strengthening the provision of information, education and communication (IEC) was recommended.

Factors Affecting Utilization of Postnatal Care Service In ...

transportation problems to the health facilities, and maternal age as predictors of postnatal care services utilization in the urban settings. In the rural settings the predictors were antenatal service attendance, hospital waiting time, family

Factors Affecting the Utilization of Postnatal Care ...

Online Library Factors Affecting Utilization Of Postnatal Care Service In AFFECTING UTILIZATION OF POSTNATAL CARE ... Many studies identified factors affecting postnatal care services utilization. They are antenatal care visit, delivery place, mother's education level, household wealth index, birth order and educational level of the partner (9-12).

Factors Affecting Utilization Of Postnatal Care Service In

Researches indicate that PNC services utilization is influenced by factors such as; maternal age, educational level of the women, occupational status of women and husbands, place of delivery, mode of delivery, the number of pregnancies, awareness about obstetric related danger sign, and awareness about PNC services [7-21].

Postnatal care utilization and associated factors among ...

Researches indicate that PNC services utilization is affected by several factors including maternal age, educational level of the women, occupational status of women and husbands, place of delivery, mode of delivery, number of pregnancies, awareness about obstetric related danger sign, and awareness about PNC services [10, 12-14].

Postnatal Care Service Utilization and Associated Factors ...

Approximately 30-40% of direct maternal deaths in Africa are due to hemorrhage, mostly in the postpartum period both in the hospital and in the community levels. In sub Saharan Africa only 13 % of the mothers attend postnatal care .Adequate

(PDF) FACTORS AFFECTING UTILIZATION OF POSTNATAL CARE ...

This study identified region of residence, obstetric factors, and health service-related factors to be significant determinants for use of postnatal care. Obstetric factors include knowledge of obstetric danger signs (AOR: 1.30; 95% CI: 1.05-1.60), cesarean section mode of delivery (AOR: 1.96; 95% CI: 1.28-3.00), and institutional delivery (AOR: 10.29; 95% CI: 7.57-13.98).

Determinants of postnatal care utilization in Ethiopia: a ...

The study has identified some factors that have an important influence on utilization of postnatal care services in Maiduguri. These included awareness of postnatal care services. (odds ratio. [OR] 12.04, 95% confidence interval. [CI]: 10.26, P =. 0.000), higher educational status of the woman.

Factors responsible for under-utilization of postnatal ...

Several studies conducted in different countries on demographic and socio-cultural factors influencing use of maternal health care services, have shown that factors like maternal age, number of living children, education, place of residence, occupation, religion and ethnicity are significantly associated with use of antenatal care.

Factors affecting the utilization of antenatal care among ...

postnatal period. Although, individual studies have highlighted many factors affecting the utilization of antenatal care in different contexts, these findings have not been synthesized collectively. Therefore, there was a need to carry out a literature review to synthesize findings regarding the factors affecting the

Factors affecting the utilization of antenatal care among ...

There are differences in antenatal care (ANC) utilization between urban and rural areas of Pakistan. Although multiple factors have been studied affecting the utilization of general health care services, the effect of road network distance particularly on the utilization of ANC has not been assessed. Therefore, this study aimed to determine the association between road network distance from a ...

Factors affecting the utilization of antenatal care among ...

Magnitude and Determinants of Postnatal Care Service Utilization Among Women Who Gave Birth in the Last 12 Months in Northern Ethiopia: A Cross-Sectional Study Javascript is currently disabled in your browser.

[Full text] Magnitude and Determinants of Postnatal Care ...

Factors associated with postnatal care service utilization. Demographic variables that were associated with use of postnatal care services included living in an urban area, higher educational status, being employed, and having a higher income.

Determinants of postnatal care utilization in Tigray ...

Conclusion: The major determinant factors that affect utilization of PNC identified in this study include monthly income of household, last pregnancy birth outcome, educational status of the mother, wantedness of the pregnancy and place of delivery were significantly associated with postnatal care service utilization.

Copyright code: [d41d8cd98f00b204e9800998ecf8427e](#).